UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/532,536	02/15/2006	Rodolfo Noto	07040.02222	4386
22852 7590 01/22/2009 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER LLP			EXAMINER	
			JOHNSTONE, ADRIENNE C	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413			ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			01/22/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/532,536	NOTO ET AL.
Office Action Summary	Examiner	Art Unit
	Adrienne C. Johnstone	1791
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DOWN THE METERS THE	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 15 Fe This action is FINAL . 2b) ☐ This Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) ☐ Claim(s) <u>15-30</u> is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) <u>15-30</u> are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and any objection to the Replacement drawing sheet(s) including the correct any objected to by the Examine	epted or b) objected to by the Idrawing(s) be held in abeyance. See iion is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate

Application/Control Number: 10/532,536

Art Unit: 1791

DETAILED ACTION

Page 2

Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

- 1) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on an elastomer material substrate, the elastomer material substrate being reinforced with fibers, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;
- 2) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on an elastomer material substrate, the elastomer material substrate *not* being reinforced with fibers, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;
- 3) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on a non-elastomer material substrate, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;
- 4) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on an elastomer material substrate, the elastomer material substrate being reinforced with fibers, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;

- 5) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on an elastomer material substrate, the elastomer material substrate *not* being reinforced with fibers, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;
- 6) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings on a non-elastomer material substrate, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;
- 7) a pneumatic tire whose at least one reinforcing layer is a layer of elastomer material reinforced with fibers on an elastomer material substrate, the elastomer material substrate being reinforced with fibers;
- 8) a pneumatic tire whose at least one reinforcing layer is a layer of elastomer material reinforced with fibers on an elastomer material substrate, the elastomer material substrate *not* being reinforced with fibers;
- 9) a pneumatic tire whose at least one reinforcing layer is a layer of elastomer material reinforced with fibers on a non-elastomer material substrate;
- 10) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings without a substrate, the cord windings having a constant pitch;
- 11) a pneumatic tire whose at least one reinforcing layer is a plurality of cord spiral windings without a substrate, the cord windings having a pitch variation depending on radial height;
- 12) a pneumatic tire whose at least one reinforcing layer is a layer of elastomer material reinforced with fibers without a substrate;
- 13) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on an elastomer material substrate, the

Art Unit: 1791

elastomer material substrate being reinforced with fibers, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;

- 14) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on an elastomer material substrate, the elastomer material substrate *not* being reinforced with fibers, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;
- 15) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on a non-elastomer material substrate, the cord windings having a constant pitch and the substrate having thickness variation depending on radial height;
- 16) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on an elastomer material substrate, the elastomer material substrate being reinforced with fibers, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;
- 17) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on an elastomer material substrate, the elastomer material substrate *not* being reinforced with fibers, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;
- 18) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers on a non-elastomer material substrate, the cord windings having a pitch variation depending on radial height and the substrate having substantially constant thickness;

Application/Control Number: 10/532,536

Art Unit: 1791

19) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers without a substrate, the cord windings having a constant pitch;

Page 5

20) a pneumatic tire whose at least one reinforcing layer is an assembly of a plurality of cord spiral windings and elastomer material reinforced with fibers without a substrate, the cord windings having a pitch variation depending on radial height.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

- 2. The claims are deemed to correspond to the species listed above in the following manner:
 - 1) claims 15-23 and 25-30;
 - 2) claims 15-19, 21-23, and 27-30;
 - 3) claims 15-18, 21-23, and 27-30;
 - 4) claims 15-22 and 24-30;
 - 5) claims 15-19, 21, 22, 24, and 27-30;
 - 6) claims 15-18, 21, 22, 24, and 27-30;
 - 7) claims 15-20 and 25-30;

Art Unit: 1791

- 8) claims 15-19 and 25-30;
- 9) claims 15-18 and 25-30;
- 10) claims 15-17, 21, 22, and 27-30;
- 11) claims 15-17, 21, 22, and 27-30;
- 12) claims 15-17 and 25-30;
- 13) claims 15-23 and 25-30;
- 14) claims 15-19, 21-23, and 25-30;
- 15) claims 15-18, 21-23, and 25-30;
- 16) claims 15-22 and 24-30;
- 17) claims 15-19, 21, 22, and 24-30;
- 18) claims 15-18, 21, 22, and 24-30;
- 19) claims 15-17, 21, 22, and 25-30;
- 20) claims 15-17, 21, 22, and 25-30.

The following claim(s) are generic: claim 15.

- 3. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: the subject matter of generic claim 15 common to all of the species does not distinguish over the prior art, as evidenced by Peda (6,044,884)(embodiments of Figures 1 and 3, col. 3 lines 61-65, col. 4 lines 45-65, col. 5 lines 30-52: Figures 1 and 3 clearly depict the ratio f/H of the shoulder drop f to the section height H within the broadly claimed range of less than 0.2) and West German Patent Application 28 23 774 A1 (embodiment of Figures 1 and 2, which clearly depict the ratio f/H of the shoulder drop f to the section height H within the broadly claimed range of less than 0.2) for example, and therefore cannot serve as a common special technical feature.
- 4. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

Art Unit: 1791

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adrienne C. Johnstone whose telephone number is (571) 272-1218. The examiner can normally be reached on Monday-Friday, 1:00PM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/532,536

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Adrienne C. Johnstone Primary Examiner Art Unit 1791 Page 8

Adrienne Johnstone

/Adrienne C. Johnstone/

January 16, 2009